Author Index 2006

Adami, P	Three-dimensional unsteady investigation of HP turbine stages	155
An-ping Qiao	Original design of coal-bed gas/air control units for engine-generator sets	179
Agnew, B	Examination of the performance of an unconventional combination of Rankine, Brayton, and inverse Brayton cycles	305
Agrawal, V P	Real-time efficiency index of a steam power plant: a systems approach	103
Akpinar, E K	An investigation of wind power potential required in installation of wind energy conversion systems	1
Akpinar, S	An investigation of wind power potential required in installation of wind energy conversion systems	1
Alabdoadaim, M A	Examination of the performance of an unconventional combination of Rankine, Brayton, and inverse Brayton cycles	305
Angelino, G	Binary and ternary liquid metal–steam cycles for high-efficiency coal power stations	195
Arnulfi, G L	Extensive study on the control of centrifugal compressor surge	289
Arunachalam, V P	Optimizing impeller geometry for performance enhancement of a centrifugal pump using the Taguchi quality concept	765
Asuaje, M	Three-dimensional quasi-unsteady flow simulation in a centrifugal pump: comparison with experimental results	239
Bannikov, M G	Oxides of nitrogen (NO_x) emission levels of diesel engines of switch locomotives	449
Bassily, A M	Modelling, analysis, and irreversibility reduction of the triple-pressure reheat H-system combined cycle	883
Bakir, F	Hub shape effects on the inducers performance under cavitation	217
Bakir, F	Three-dimensional quasi-unsteady flow simulation in a centrifugal pump: comparison with experimental results	239
Bell, D L	Influence of upstream stator on rotor flutter stability in a low pressure steam turbine stage	25
Benhadj, R	System automation for measuring coal combustion efficiency	15
Blanchini, F	Extensive study on the control of centrifugal compressor surge	289
Bojić, M	Optimization of steam boiler design	629
Cai, R	An advanced oxy-fuel power cycle with high efficiency	315
Caton, J A	Destruction of availability (exergy) due to combustion processes: a parametric study	655
Cau, G	Energy and economic assessment of IGCC power plants integrated with DME synthesis processes	95
Chalet, D	An investigation of instability in a domestic gas boiler by simulation	869
Chamra, L M	A literature survey of water-side fouling applicable to cooling tower condensers	815
Chattha, J A	Oxides of nitrogen (NO_x) emission levels of diesel engines of switch locomotives	449
Chavannavar, P S	Destruction of availability (exergy) due to combustion processes: a parametric study	655
Chen, D	Calculation procedure for time-dependent deforming interfaces in multi-fluid systems	719
Chen, J	Theoretical study of inlet-distortion-induced instability of axial compression systems	327
Chen, L	Efficiency optimization of an irreversible closed intercooled regenerated gas-turbine cycle	551
Chen, R	Polymer electrolyte fuel cell transport mechanisms: a universal modelling framework from fundamental theory	535
Chen, W	Calculation method of efficiency factor in Alford's force	169
Chesse, P	An investigation of instability in a domestic gas boiler by simulation	869
Chiang, M-S	Effects of temperature and humidification levels on the performance of a proton exchange membrane fuel cell	435
Chick, J P	Energy and carbon audit of a rooftop wind turbine	643
Chiu, Y C	Computational fluid dynamics investigating three-dimensional physical characteristics in a proton exchange membrane fuel cell	833
Chow, T-T	Effect of flow channel dimensions on the performance of a box-frame photovoltaic/thermal collector	681
Chu, H-S	Effects of temperature and humidification levels on the performance of a proton exchange membrane fuel cell	435
Chu, W	Design and experimental investigations of a new type of casing treatment for an axial flow compressor	207
Chung, M K	Hydraulic design of a regenerative flow pump for an artificial heart pump	699

© IMechE 2006

Clarke, D R	Enhanced zirconia thermal barrier coating systems	85
Cocco, D	Energy and economic assessment of IGCC power plants integrated with DME synthesis processes	95
Cui, M M	Investigation of the scroll compressor porting process. Part I: global flow physics and behaviour of gas pockets	37
Cui, M M	Investigation of the scroll compressor porting process. Part II: local characteristics of the porting process and properties of the ports	55
Cunningham, G	An investigation of the flowfield through a variable geometry turbine stator with vane endwall clearance	899
Damangir, A	Performance and laser Doppler anemometry experimental investigation of squirrel cage fans with half-cone rotors	753
Damen, M	Modelling and test results of the Archimedes wave swing	855
Datta, A	Numerical prediction of the soot and NO formation in a confined laminar diffusion flame without and with air preheat	473
de Sousa Prado, M G	Modelling and test results of the Archimedes wave swing	855
Dehkordi, A H	Performance and laser Doppler anemometry experimental investigation of squirrel cage fans with half-cone rotors	753
Dereli, Y	Effects of shear stress forces to rotordynamic coefficients in staggered labyrinth seals	387
Dincer, I	Investigation of the energetic and exergetic performance of the Gonen geothermal district heating system	671
Ding, X J	Calculation method of efficiency factor in Alford's force	169
Dragićević, S	Optimization of steam boiler design	629
Drinkwater, B W	Oil film measurement in polytetrafluoroethylene-faced thrust pad bearings for hydro-generator applications	619
Du, Y	Control analysis of the wind turbine with transmission to split power	415
Dwyer-Joyce, R S	Oil film measurement in polytetrafluoroethylene-faced thrust pad bearings for hydro-generator applications	619
Eastwick, C N	Study of aero-engine oil–air separators	707
El Gazzar, M	Experimental study of the effect of drag reduction agents on the performance of jet pumps	379
Engin, T	Study of tip clearance effects in centrifugal fans with unshrouded impellers using computational fluid dynamics	599
Eser, D	Effects of shear stress forces to rotordynamic coefficients in staggered labyrinth seals	387
Etchebarne, T	An investigation of instability in a domestic gas boiler by simulation	869
Evans, A G	Enhanced zirconia thermal barrier coating systems	85
Evans, R L	Fluid flow in the squish-jet combustion chamber	355
Fallah, M	Study of energy recovery by means of porous media considering gas radiation effect	509
Fen Gao	Original design of coal-bed gas/air control units for engine-generator sets	179
Feng, Z-P	Two-dimensional analysis of cavitating flows in a centrifugal pump using a single-phase Reynolds averaged Navier–Stokes solver and cavitation model	783
Ferng, Y M	Computational fluid dynamics investigating three-dimensional physical characteristics in a proton exchange membrane fuel cell	833
Frid, S E	Geographic variation of solar water heater performance in Europe	395
Gandhi, O P	Real-time efficiency index of a steam power plant: a systems approach	103
Gandjalikhan Nassab, S A	Study of energy recovery by means of porous media considering gas radiation effect	509
Gardner, F	Modelling and test results of the Archimedes wave swing	855
Giannattasio, P	Extensive study on the control of centrifugal compressor surge	289
González, M	Power quality in high-tech campus: a case study	257
Gou, C	An advanced oxy-fuel power cycle with high efficiency	315
Guha, A	Modification of the upwind schemes for the computation of condensing two-phase flows	809
Guo, B	Development of the free piston expander for work recovery in transcritical CO_2 refrigeration cycle	689
Hadland, A	Aerodynamic research using the Moulton small-wheeled bicycle	189
Han, C	Effect of flow channel dimensions on the performance of a box-frame photovoltaic/thermal collector	681
Han, J	Effect of flow channel dimensions on the performance of a box-frame photovoltaic/thermal collector	681
Harper, P	Oil film measurement in polytetrafluoroethylene-faced thrust pad bearings for hydroge-nerator applications	619
Harrison, G P	Energy and carbon audit of a rooftop wind turbine	643
He, L	Influence of upstream stator on rotor flutter stability in a low pressure steam turbine stage	25
He, W	Effect of flow channel dimensions on the performance of a box-frame photovoltaic/thermal collector	681
Hepbasli, A	Investigation of the energetic and exergetic performance of the Gonen geothermal district heating system	671

 © IMechE 2006

Hetet, J-F	An investigation of instability in a domestic gas boiler by simulation	869
Hibberd, S	Study of aero-engine oil–air separators	707
Hong, H	An advanced oxy-fuel power cycle with high efficiency	315
Horlock, J H	Turbine blade cooling: the blade temperature distribution	343
Huang, S H	Calculation method of efficiency factor in Alford's force	169
Huang, S	Calculation procedure for time-dependent deforming interfaces in multi-fluid systems	719
Huang, X Q	Influence of upstream stator on rotor flutter stability in a low pressure steam turbine stage	25
Invernizzi, C	Binary and ternary liquid metal–steam cycles for high-efficiency coal power stations	195
Jaberg, H	Effects of blade sweep on the performance characteristics of axial flow turbomachinery rotors	737
Jassim, R K	Using swirl flow to improve efficiency of flares	731
Ji, J	Effect of flow channel dimensions on the performance of a box-frame photovoltaic/thermal collector	681
Jubeh, N M	Comparison of performance of compressed-air energy-storage plant with compressed-air storage with humidification	581
Kamal, M M	Combustion in porous media	487
Karim, G A	Experimental investigation of the knock and combustion characteristics of CH_4, H_2, CO, and some of their mixtures	459
Kazim, A	Basic parametric study of a proton exchange membrane fuel cell	847
Kergourlay, G	Three-dimensional quasi-unsteady flow simulation in a centrifugal pump: comparison with experimental results	239
Khaliq, A	Finite-thermal reservoir effects on ecologically optimized closed regenerative Joule–Brayton power cycles	425
Koukou, M K	Evaluating low-temperature fuel cell performance for power generation: fluid dynamics study of phosphoric acid fuel cell systems at the cell level	525
Kouidri, S	Hub shape effects on the inducers performance under cavitation	217
Kubie, J	Life cycle assessment of a medium-sized photovoltaic facility at a high latitude location	517
Kushwah, Y S	An experimental study of *Pongamia pinnata* L. oil as a diesel substitute	803
Kwedikha, A R A	Effects of blade sweep on the performance characteristics of axial flow turbomachinery rotors	737
Lai, H	Calculation procedure for time-dependent deforming interfaces in multi-fluid systems	719
Lambert, N	Life cycle assessment of a medium-sized photovoltaic facility at a high latitude location	517
Lappas, P	Fluid flow in the squish-jet combustion chamber	355
Levi, C G	Enhanced zirconia thermal barrier coating systems	85
Liu Yinshui	Flow and cavitation characteristics of a damping orifice in water hydraulics	933
Li Zhuangyun	Flow and cavitation characteristics of a damping orifice in water hydraulics	933
Li, H	Experimental investigation of the knock and combustion characteristics of CH_4, H_2, CO, and some of their mixtures	459
Li, J	Two-dimensional analysis of cavitating flows in a centrifugal pump using a single-phase Reynolds averaged Navier–Stokes solver and cavitation model	783
Li, W	Control analysis of the wind turbine with transmission to split power	415
Lin, F	Theoretical study of inlet-distortion-induced instability of axial compression systems	327
Liu, L-J	Two-dimensional analysis of cavitating flows in a centrifugal pump using a single-phase Reynolds averaged Navier–Stokes solver and cavitation model	783
Liu, Q	Measurement and analysis of three-dimensional flow in a centrifugal fan volute with large volute width and rectangular cross-section	133
Lu, J	Effect of flow channel dimensions on the performance of a box-frame photovoltaic/thermal collector	681
Lu, X	Design and experimental investigations of a new type of casing treatment for an axial flow compressor	207
Lund, P	Basic parametric study of a proton exchange membrane fuel cell	847
Mago, P J	A literature survey of water-side fouling applicable to cooling tower condensers	815
Mahanta, P	An experimental study of *Pongamia pinnata* L. oil as a diesel substitute	803
Mandal, B K	Numerical prediction of the soot and NO formation in a confined laminar diffusion flame without and with air preheat	473
Markatos, N-C G	Evaluating low-temperature fuel cell performance for power generation: fluid dynamics study of phosphoric acid fuel cell systems at the cell level	525
Martelli, F	Three-dimensional unsteady investigation of HP turbine stages	155
Meakhail, T	Experimental study of the effect of drag reduction agents on the performance of jet pumps	379
Mei, Y	Modification of the upwind schemes for the computation of condensing two-phase flows	809
Mejri, I	Hub shape effects on the inducers performance under cavitation	217
Micheli, D	Extensive study on the control of centrifugal compressor surge	289
Mikhail, S	Experimental study of the effect of drag reduction agents on the performance of jet pumps	379
Milliken, D L	Aerodynamic research using the Moulton small-wheeled bicycle	189

Mishra, S C	An experimental study of *Pongamia pinnata* L. oil as a diesel substitute	803
Mohamad, A A	Combustion in porous media	487
Mohammed Ali, A A K	Using swirl flow to improve efficiency of flares	731
Mohan, M	Real-time efficiency index of a steam power plant: a systems approach	103
Montazerin, N	Performance and laser Doppler anemometry experimental investigation of squirrel cage fans with half-cone rotors	753
Moreno-Muñoz, A	Power quality in high-tech campus: a case study	257
Moulton, A E	Aerodynamic research using the Moulton small-wheeled bicycle	189
Mukunda, H S	Zero-dimensional modelling of a producer gas-based reciprocating engine	923
Muneer, T	Life cycle assessment of a medium-sized photovoltaic facility at a high latitude location	517
Najjar, Y S H	Comparison of performance of compressed-air energy-storage plant with compressed-air storage with humidification	581
Nataraj, M	Optimizing impeller geometry for performance enhancement of a centrifugal pump using the Taguchi quality concept	765
Noguera, R	Hub shape effects on the inducers performance under cavitation	217
Noguera, R	Three-dimensional quasi-unsteady flow simulation in a centrifugal pump: comparison with experimental results	239
Norton, B	Including embodied energy considerations at the conceptual stage of building design	271
Norton, B	Geographic variation of solar water heater performance in Europe	395
Oh, H W	Hydraulic performance analysis of an axial-flow main coolant pump for the system-integrated nuclear reactor	635
O'Neill, J W	An investigation of the flowfield through a variable geometry turbine stator with vane endwall clearance	899
Orfanoudakis, N G	Evaluating low-temperature fuel cell performance for power generation: fluid dynamics study of phosphoric acid fuel cell systems at the cell level	525
Ouazzane, K	System automation for measuring coal combustion efficiency	15
Ozgener, L	Investigation of the energetic and exergetic performance of the Gonen geothermal district heating system	671
Park, M R	Hydraulic design of a regenerative flow pump for an artificial heart pump	699
Park, S J	Hydraulic performance analysis of an axial-flow main coolant pump for the system-integrated nuclear reactor	635
Paul, P J	Zero-dimensional modelling of a producer gas-based reciprocating engine	923
Peng, X	Development of the free piston expander for work recovery in transcritical CO_2 refrigeration cycle	689
Pettinau, A	Energy and economic assessment of IGCC power plants integrated with DME synthesis processes	95
Pinamonti, P	Extensive study on the control of centrifugal compressor surge	289
Polinder, H	Modelling and test results of the Archimedes wave swing	855
Popel, O	Geographic variation of solar water heater performance in Europe	395
Potts, I	Examination of the performance of an unconventional combination of Rankine, Brayton, and inverse Brayton cycles	305
Pritchard, J	Oil film measurement in polytetrafluoroethylene-faced thrust pad bearings for hydro-generator applications	619
Qi, D	Measurement and analysis of three-dimensional flow in a centrifugal fan volute with large volute width and rectangular cross-section	133
Rama, P	Polymer electrolyte fuel cell transport mechanisms: a universal modelling framework from fundamental theory	535
Rankine, R K	Energy and carbon audit of a rooftop wind turbine	643
Redel, M D	Power quality in high-tech campus: a case study	257
Rey, R	Hub shape effects on the inducers performance under cavitation	217
Rey, R	Three-dimensional quasi-unsteady flow simulation in a centrifugal pump: comparison with experimental results	239
Rezaei Niya, S M	Performance and laser Doppler anemometry experimental investigation of squirrel cage fans with half-cone rotors	753
Roy-Aikins, J E A	XAG: a tool in the design improvement of power plants	559
Sarkar, A	Numerical prediction of the soot and NO formation in a confined laminar diffusion flame without and with air preheat	473
Schaber, U	Non-contact blade vibration measurement analysis using a multi-degree-of-freedom model	611
Schlagwein, G	Non-contact blade vibration measurement analysis using a multi-degree-of-freedom model	611
Shirakawa, M	Development of a thermal power plant simulation tool based on object orientation	569
Shu, P	Development of the free piston expander for work recovery in transcritical CO_2 refrigeration cycle	689
Simmons, K	Study of aero-engine oil–air separators	707

 © IMechE 2006

Spence, S W T	An investigation of the flowfield through a variable geometry turbine stator with vane endwall clearance	899
Sridhar, G	Zero-dimensional modelling of a producer gas-based reciprocating engine	923
Su, A	Computational fluid dynamics investigating three-dimensional physical characteristics in a proton exchange membrane fuel cell	833
Sun, F	Efficiency optimization of an irreversible closed intercooled regenerated gas-turbine cycle	551
Söylemez, M S	Optimization of multi-stage (booster) compression systems with waste heat recovery	917
Tauzia, X	An investigation of instability in a domestic gas boiler by simulation	869
Thring, R	Polymer electrolyte fuel cell transport mechanisms: a universal modelling framework from fundamental theory	535
Torbidoni, L	Turbine blade cooling: the blade temperature distribution	343
Vad, J	Effects of blade sweep on the performance characteristics of axial flow turbomachinery rotors	737
Visser, F C	Convenient polynomial approximation for calculating the onset of reverse flow in radial-flow centrifugal pump impellers having backward leaning blades	943
von Backström, T W	A compact equation for the prediction of eddy-induced slip in centrifugal impellers	911
Wang, W	Efficiency optimization of an irreversible closed intercooled regenerated gas-turbine cycle	551
Wang, X-F	Aerodynamic optimization design of centrifugal compressor's impeller with Kriging model	589
Wang, Y	Study of aero-engine oil–air separators	707
Wang, Z-H	Aerodynamic optimization design of centrifugal compressor's impeller with Kriging model	589
Wen, S	Measurement and analysis of three-dimensional flow in a centrifugal fan volute with large volute width and rectangular cross-section	133
Wu, C	Efficiency optimization of an irreversible closed intercooled regenerated gas-turbine cycle	551
Xi, G	Aerodynamic optimization design of centrifugal compressor's impeller with Kriging model	589
Xing, Z	Development of the free piston expander for work recovery in transcritical CO_2 refrigeration cycle	689
Yang, Y L	Calculation method of efficiency factor in Alford's force	169
Yohanis, Y G	Including embodied energy considerations at the conceptual stage of building design	271
Yohanis, Y G	Geographic variation of solar water heater performance in Europe	395
Yoo, I S	Hydraulic design of a regenerative flow pump for an artificial heart pump	699
Yoon, E S	Hydraulic performance analysis of an axial-flow main coolant pump for the system-integrated nuclear reactor	635
Younes, S	Life cycle assessment of a medium-sized photovoltaic facility at a high latitude location	517
Yun-qing, Li	Original design of coal-bed gas/air control units for engine-generator sets	179
Zdaniuk, G J	A literature survey of water-side fouling applicable to cooling tower condensers	815
Zervas, P L	Evaluating low-temperature fuel cell performance for power generation: fluid dynamics study of phosphoric acid fuel cell systems at the cell level	525
Zhang, B	Development of the free piston expander for work recovery in transcritical CO_2 refrigeration cycle	689
Zhang, T	Control analysis of the wind turbine with transmission to split power	415
Zhang, Y	Measurement and analysis of three-dimensional flow in a centrifugal fan volute with large volute width and rectangular cross-section	133
Zhang, Z	New method for comparing flow in spring-loaded valves	409
Zheng, C G	Calculation method of efficiency factor in Alford's force	169
Zima, W	Simulation of dynamics of a boiler steam superheater with an attemperator	793
Zhu, J	Design and experimental investigations of a new type of casing treatment for an axial flow compressor	207
Zhu Bihai	Flow and cavitation characteristics of a damping orifice in water hydraulics	933
Zhu Yuquan	Flow and cavitation characteristics of a damping orifice in water hydraulics	933

© IMechE 2006